

## TEB039 - Termodinâmica Aplicada à Biotecnologia

Seq.	Nome (Turma A - 2/15)	Prova1	Prova2	Exercícios	Média	Faltas	Final	Média	Resultado
1	ALESSANDRA CESAR MATHIAS	10,0	10,0	10,0	10,0	3		10,0	APROVADO
2	ALINE FOGACA SEBEN	10,0	2,0	10,0	7,0	9		7,0	APROVADO
3	ANA CECILIA GUIMARAES ALVES	3,6	5,5	10,0	5,6	0	5,5	5,6	APROVADO
4	ANNA BEATRIZ RUDNIAK	10,0	8,0	10,0	9,2	0		9,2	APROVADO
5	BARBARA TONEL OTSUKA	10,0	10,0	10,0	10,0	3		10,0	APROVADO
6	BRUNA LISBOA	6,8	6,0	9,5	7,0	3		7,0	APROVADO
7	BRUNA SCHWEITZER MEDINA	5,0	0,0	0,0	2,0	9		2,0	REPROVADO
8	CAROLINE CAMPOS CORDEIRO	5,6	7,0	10,0	7,0	3		7,0	APROVADO
9	CECILIA NUNES DE SOUZA MOZZER	10,0	10,0	9,5	9,9	6		9,9	APROVADO
10	CIBELLE HIROMI BUENO	4,8	7,0	10,0	7,0	3		7,0	APROVADO
11	DEBORA EVELYN ROHRSETZER	0,0	0,0	0,0	0,0	15		0,0	REPROVADO-F
12	EDUARDO SANTANA CURY	0,0	10,0	10,0	6,0	3	10,0	8,0	APROVADO
13	FERNANDA CARIGNANO WINTER	10,0	9,0	7,0	9,0	6		9,0	APROVADO
14	GABRIELLA ALBANO	2,0	7,5	10,0	5,8	6	3,9	5,0	APROVADO
15	GABRIELLE CAMILLE SEXTOS	10,0	8,0	10,0	9,2	3		9,2	APROVADO
16	GIULIA WADA FRIGUGLIETTI	6,8	8,5	10,0	8,1	6		8,1	APROVADO
17	ISABELLA BRANCALHAO SILVA	4,0	4,5	9,5	5,3	6	2,9	4,1	REPROVADO
18	ISADORA KANIAK IKEDA	5,5	10,0	9,5	8,1	9		8,1	APROVADO
19	ISADORA KOLLER	10,0	10,0	10,0	10,0	0		10,0	APROVADO
20	JULIANA CRISTINA BUZANELLO	8,0	5,5	9,5	7,3	6		7,3	APROVADO
21	LAYS CAMARGO PEDERIVA	4,0	9,0	10,0	7,2	3		7,2	APROVADO
22	LEANDRO NOZOMI MASHIBA	3,6	4,8	6,4	4,6	3	3,1	3,9	REPROVADO
23	LETICIA WERZEL BASSAI	8,8	5,0	10,0	7,5	0		7,5	APROVADO
24	LUANA KINAPE SCHIMUNDA	3,0	8,5	10,0	7,0	3		7,0	APROVADO
25	MATHEUS KOSOVSKI MAINARDES	4,0	0,0	2,2	2,0	3		2,0	REPROVADO
26	MATHEUS ROSA DA LUZ	6,0	4,0	3,6	4,7	3	3,4	4,1	REPROVADO
27	MIRIA TALITA SIEBERT	8,0	6,0	10,0	7,6	0		7,6	APROVADO
28	NATALIA CORDEIRO	5,6	7,0	10,0	7,0	6		7,0	APROVADO
29	NICOLLAS SAQUE	8,0	7,5	10,0	8,2	0		8,2	APROVADO
30	PAULA TIEMI GARRIDO	4,0	5,3	9,5	5,6	3	3,8	5,0	APROVADO
31	RAFAEL ZENNI SALOMAO	5,6	9,5	10,0	8,0	3		8,0	APROVADO
32	RAFAELA SCHMAL VERONESI	6,0	10,0	10,0	8,4	6		8,4	APROVADO
33	RODRIGO AUGUSTO FLENIK	0,0	0,0	0,0	0,0	45		0,0	REPROVADO-F